

```

NEW FILE.
DATASET NAME DataSet2 WINDOW=FRONT.
CORRELATIONS
  /VARIABLES=Soal1 Soal2 Soal3 Soal4 Soal5 Soal6 Soal7 Soal8 Soal9 Soal10 Soal
11 Soal12 Soal13
  Soal14 Soal15 Soal16 Soal17 Soal18 Soal19 Soal20 Total
  /PRINT=TWOTAIL NOSIG
  /MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		21-NOV-2017 16:36:56
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	21
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Soal1 Soal2 Soal3 Soal4 Soal5 Soal6 Soal7 Soal8 Soal9 Soal10 Soal11 Soal12 Soal13 Soal14 Soal15 Soal16 Soal17 Soal18 Soal19 Soal20 Total /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.06
	Elapsed Time	00:00:00.09

[DataSet2]

Correlations

	Soal1	Soal2	Soal3	Soal4	Soal5	Soal6	Soal7	Soal8	Soal9	Soal10	Soal11	Soal12	Soal13	Soal14	Soal15	Soal16	Soal17	Soal18	Soal19	Soal20	Total
Soal1 Pearson Correlation	1	.047	-.157	. ^a	. ^a	.105	-.414	-.073	.132	-.255	-.154	.157	-.073	.513	-.157	-.154	-.513	.105	.255	-.513	-.128
Sig. (2-tailed)		.840	.496	.	.	.650	.062	.755	.567	.266	.505	.496	.755	.017	.496	.505	.017	.650	.266	.017	.581
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal2 Pearson Correlation	.047	1	-.175	. ^a	. ^a	-.047	-.113	-.194	.079	-.283	-.091	-.315	-.194	.091	.070	.335	.122	-.047	.085	-.091	-.147
Sig. (2-tailed)	.840		.448	.	.	.840	.625	.400	.735	.214	.694	.164	.400	.694	.763	.138	.589	.840	.714	.694	.085
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal3 Pearson Correlation	-.157	-.175	1	. ^a	. ^a	.157	.131	.461	.198	-.131	.307	.235	.461	.499	-.235	.307	.307	.157	.131	-.230	.650
Sig. (2-tailed)	.496	.448		.	.	.496	.572	.035	.390	.572	.176	.305	.035	.021	.305	.176	.176	.496	.572	.316	.001
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal4 Pearson Correlation	. ^a	. ^a	. ^a	1	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a
Sig. (2-tailed)
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal5 Pearson Correlation	. ^a	. ^a	. ^a	. ^a	1	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a	. ^a
Sig. (2-tailed)
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal6 Pearson Correlation	-.105	-.047	.157	. ^a	. ^a	1	-.255	.073	-.132	-.414	.154	.256	.073	.205	.157	-.205	.154	.447	.080	-.205	.214
Sig. (2-tailed)	.650	.840	.496	.	.		.266	.755	.567	.062	.505	.263	.755	.372	.496	.372	.505	.042	.732	.372	.351
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal7 Pearson Correlation	-.414	-.113	.131	. ^a	. ^a	-.255	1	-.175	-.040	.010	.372	-.131	-.285	-.372	.131	.372	.372	-.255	-.212	.155	.257
Sig. (2-tailed)	.062	.625	.572	.	.	.266		.447	.863	.967	.097	.572	.210	.097	.572	.097	.097	.266	.357	.502	.262
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal8 Pearson Correlation	-.073	-.194	.461	. ^a	. ^a	.073	.175	1	.091	-.175	.141	.108	-.050	-.141	.108	.141	.141	.073	-.285	-.354	.091
Sig. (2-tailed)	.755	.400	.035	.	.	.755	.447		.694	.447	.541	.640	.830	.541	.640	.541	.541	.755	.210	.116	.695
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal9 Pearson Correlation	.132	.079	.198	. ^a	. ^a	-.132	-.040	.091	1	.040	.043	.149	.091	.258	-.149	.043	.344	.331	-.320	-.258	.342
Sig. (2-tailed)	.567	.735	.390	.	.	.567	.863	.694		.863	.853	.521	.694	.258	.521	.853	.126	.143	.157	.258	.129
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal10 Pearson Correlation	-.255	-.283	-.131	. ^a	. ^a	-.414	.010	-.175	.040	1	-.155	-.369	-.050	-.279	.119	-.372	.062	-.080	.212	.279	-.100
Sig. (2-tailed)	.266	.214	.572	.	.	.062	.967	.447	.863		.502	.100	.447	.221	.608	.097	.789	.732	.357	.221	.667
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal11 Pearson Correlation	-.154	-.091	.307	. ^a	. ^a	.154	.372	.141	.043	-.155	1	-.038	.141	.167	.038	.300	.300	-.205	.155	.067	.586 ^{**}
Sig. (2-tailed)	.505	.694	.176	.	.	.505	.097	.541	.853	.502		.869	.541	.470	.869	.186	.186	.372	.502	.774	.005
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal12 Pearson Correlation	.157	-.315	.235	. ^a	. ^a	.256	-.131	.108	.149	-.369	-.038	1	.108	.307	-.382	-.038	-.307	.256	-.131	-.307	-.003
Sig. (2-tailed)	.496	.164	.305	.	.	.263	.572	.640	.521	.100	.869		.640	.176	.087	.869	.176	.263	.572	.176	.989
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal13 Pearson Correlation	-.073	-.194	.461	. ^a	. ^a	.073	-.285	-.050	.091	-.175	.141	.108	1	.354	-.108	.141	.141	.073	.175	.141	.329
Sig. (2-tailed)	.755	.400	.035	.	.	.755	.210	.830	.694	.447	.541	.640		.116	.640	.541	.541	.755	.447	.541	.145
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal14 Pearson Correlation	.513	.091	.499	. ^a	. ^a	.205	-.372	-.141	.256	-.279	.167	.307	.354	1	-.307	.167	-.300	.205	.279	-.300	.426
Sig. (2-tailed)	.017	.694	.021	.	.	.372	.097	.541	.256	.221	.470	.176	.116		.176	.470	.186	.372	.221	.186	.054
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal15 Pearson Correlation	-.157	.070	-.235	. ^a	. ^a	.157	.131	-.108	-.149	.119	.038	-.382	-.108	-.307	1	.038	.307	.157	.131	.307	.262
Sig. (2-tailed)	.496	.763	.305	.	.	.496	.572	.640	.521	.608	.869	.887	.640	.176		.869	.176	.496	.572	.176	.252
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal16 Pearson Correlation	-.154	.335	.307	. ^a	. ^a	-.205	.372	.141	.043	-.372	.300	-.038	.141	.167	.038	1	.067	-.205	-.062	.067	.474
Sig. (2-tailed)	.505	.138	.176	.	.	.372	.097	.541	.853	.097	.186	.869	.541	.470	.869		.774	.372	.789	.774	.030
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal17 Pearson Correlation	-.513	.122	.307	. ^a	. ^a	.154	.372	.141	.344	.062	.300	-.307	-.141	-.300	.307	.067	1	.154	-.062	.067	.530 ^{**}
Sig. (2-tailed)	.017	.599	.176	.	.	.505	.097	.541	.126	.789	.186	.176	.541	.186	.176	.774		.505	.789	.774	.013
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal18 Pearson Correlation	-.105	-.047	.157	. ^a	. ^a	.447	-.255	.073	.331	-.080	-.205	.256	.073	.205	.157	-.205	.154	1	-.255	-.205	.214
Sig. (2-tailed)	.650	.840	.496	.	.	.042	.266	.755	.143	.732	.372	.263	.755	.372	.496	.372	.505		.266	.372	.351
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal19 Pearson Correlation	.255	.085	.131	. ^a	. ^a	.080	-.212	-.285	-.320	.212	.155	-.131	.175	.279	.131	-.062	-.062	-.255	1	-.062	.309
Sig. (2-tailed)	.266	.714	.572	.	.	.732	.357	.210	.157	.357	.502	.572	.447	.221	.572	.789	.789	.266		.789	.173
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Soal20 Pearson Correlation	-.513	-.091	-.230	. ^a	. ^a	-.205	.155	-.354	-.258	.279	.067	-.307	.141	-.300	.307	.067	.067	-.205	-.062	1	.024
Sig. (2-tailed)	.017	.694	.316	.	.	.372	.502	.116	.258	.221	.774	.176	.541	.186	.176	.774	.774	.372	.789		.917
N	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
Total Pearson Correlation	-.128	.147	.650	. ^a	. ^a	.214	.257	.091	.342	-.100	.586	-.003	.329	.426	.262	.474	.530 ^{**}	.214	.309	.024	1
Sig. (2-tailed)	.581	.526	.001	.																	

Notes

Output Created	21-NOV-2017 16:43:22		
Comments			
Input	Active Dataset	DataSet2	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	21	
	Matrix Input		
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.	
Syntax	RELIABILITY /VARIABLES=Soal1 Soal2 Soal3 Soal4 Soal5 Soal6 Soal7 Soal8 Soal9 Soal10 Soal11 Soal12 Soal13 Soal14 Soal15 Soal16 Soal17 Soal18 Soal19 Soal20 Total /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /STATISTICS=DESCRIPTIVE /SUMMARY=TOTAL.		
Resources	Processor Time	00:00:00.00	
	Elapsed Time	00:00:00.01	

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	21	100.0
	Excluded ^a	0	.0
	Total	21	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.570	21

Item Statistics

	Mean	Std. Deviation	N
Soal1	.90	.301	21
Soal2	.57	.507	21
Soal3	.81	.402	21
Soal4	.00	.000	21
Soal5	1.00	.000	21
Soal6	.10	.301	21
Soal7	.38	.498	21
Soal8	.95	.218	21
Soal9	.14	.359	21
Soal10	.62	.498	21
Soal11	.29	.463	21
Soal12	.19	.402	21
Soal13	.95	.218	21
Soal14	.71	.463	21
Soal15	.81	.402	21
Soal16	.29	.463	21
Soal17	.29	.463	21
Soal18	.10	.301	21
Soal19	.38	.498	21
Soal20	.29	.463	21
Total	9.76	1.921	21

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Soal1	18.62	15.148	-.203	.590
Soal2	18.95	14.448	.015	.580
Soal3	18.71	12.914	.583	.516
Soal4	19.52	14.762	.000	.572
Soal5	18.52	14.762	.000	.572
Soal6	19.43	14.357	.138	.565
Soal7	19.14	14.029	.130	.565
Soal8	18.57	14.657	.034	.572
Soal9	19.38	13.948	.256	.553
Soal10	18.90	15.390	-.224	.608
Soal11	19.24	12.890	.499	.520
Soal12	19.33	14.933	-.107	.589
Soal13	18.57	14.257	.277	.558
Soal14	18.81	13.462	.320	.542
Soal15	18.71	14.114	.161	.562
Soal16	19.24	13.290	.372	.536
Soal17	19.24	13.090	.435	.528
Soal18	19.43	14.357	.138	.565
Soal19	19.14	13.829	.185	.558
Soal20	19.24	14.890	-.096	.591
Total	9.76	3.690	1.000	.182

```
SAVE OUTFILE='D:\Penelitian Thesis\Kelas Kontrol-P3\Hasil Validitas dan Rehabil
itas Butir Soal '+
    'Pre Test - P3.sav'
/COMPRESSED.
```